


DIN 965 (09/1986) \*

EN 7046 (05/1996) \*\*

COUNTERSUNK HEAD SCREWS CROSS RECESSED  
 METAALSCHROEF VERZONKEN KOP MET KRUISINDRUK  
 VIS A METAUX TÊTE FRAISÉE EMPREINTE CRUCIFORME  
 SENKSCHRAUBEN MIT KREUZSCHLITZ



<b>material</b> : Steel class 4.8	<b>materiaal</b> : Staal klasse 4.8	<b>matière</b> : Acier classe 4.8	<b>Werkstoff</b> : Stahl Klasse 4.8
<b>type</b> : cross recessed phillips	<b>type</b> : phillips indruk	<b>type</b> : empreinte phillips	<b>Typ</b> : Phillips-Kreuzschlitz
<b>surface</b> : zinc plated Cr3+	<b>oppervlak</b> : verzinkt Cr3+	<b>surface</b> : zingué Cr3+	<b>Oberfläche</b> : verzinkt Cr3+


\* Cancelled since 09/1996 \*\* Not identical  
 \* Vervallen vanaf 09/1996 \*\* Niet uitwisselbaar  
 \* Retiré à partir de 09/1996 \*\* Pas identique  
 \* Veraltet ab 09/1996 \*\* Nicht austauschbar

Technical properties | Technische gegevens | Données techniques | Technische Daten

M	b1	dk max.	h	k max.
M 3	19	5.6	Nr 1	1.65
M 4	22	7.5	Nr 2	2.2
M 5	25	9.2		2.5
M 6	28	11	Nr 3	3
M 8	34	14.5	Nr 4	4

M x l	OLD CODE	NEW CODE	EAN	BOX
3 x 6	00965,03006 Z	000965001003000063	5410439067461	200
3 x 8	00965,03008 Z	000965001003000083	5410439067485	200
3 x 10	00965,03010 Z	000965001003000103	5410439067508	200
3 x 12	00965,03012 Z	000965001003000123	5410439067522	200
3 x 16	00965,03016 Z	000965001003000163	5410439067546	200
3 x 20	00965,03020 Z	000965001003000203	5410439067560	200
3 x 25	00965,03025 Z	000965001003000253	5410439067584	200
3 x 30	00965,03030 Z	000965001003000303	5410439107884	200
3 x 35	00965,03035 Z	000965001003000353	5410439120197	200
3 x 40	00965,03040 Z	000965001003000403	5410439107891	200
3 x 45	00965,03045 Z	000965001003000453	5410439120203	200
3 x 50	00965,03050 Z	000965001003000503	5410439120210	200
4 x 6	00965,04006 Z	000965001004000063	5410439158473	200
4 x 8	00965,04008 Z	000965001004000083	5410439067614	200
4 x 10	00965,04010 Z	000965001004000103	5410439067638	200
4 x 12	00965,04012 Z	000965001004000123	5410439067652	200
4 x 16	00965,04016 Z	000965001004000163	5410439067676	200
4 x 18	00965,04018 Z	000965001004000183	5410439428606	200
4 x 20	00965,04020 Z	000965001004000203	5410439067690	200
4 x 25	00965,04025 Z	000965001004000253	5410439067713	200
4 x 30	00965,04030 Z	000965001004000303	5410439067737	200
4 x 35	00965,04035 Z	000965001004000353	5410439158480	200
4 x 40	00965,04040 Z	000965001004000403	5410439067768	200
4 x 45	00965,04045 Z	000965001004000453	5410439107907	200
4 x 50	00965,04050 Z	000965001004000503	5410439120227	200

M x l	OLD CODE	NEW CODE	EAN	BOX
4 x 60	00965,04060 Z	000965001004000603	5410439305747	200
4 x 70	00965,04070 Z	000965001004000703	5410439214780	200
4 x 80	00965,04080 Z	000965001004000803	5410439214773	200
5 x 8	00965,05008 Z	000965001005000083	5410439158497	200
5 x 10	00965,05010 Z	000965001005000103	5410439067799	200
5 x 12	00965,05012 Z	000965001005000123	5410439067812	200
5 x 16	00965,05016 Z	000965001005000163	5410439067836	200
5 x 20	00965,05020 Z	000965001005000203	5410439067850	200
5 x 25	00965,05025 Z	000965001005000253	5410439067874	200
5 x 30	00965,05030 Z	000965001005000303	5410439067898	200
5 x 35	00965,05035 Z	000965001005000353	5410439158503	200
5 x 40	00965,05040 Z	000965001005000403	5410439067928	200
5 x 45	00965,05045 Z	000965001005000453	5410439158510	200
5 x 50	00965,05050 Z	000965001005000503	5410439158527	200
5 x 60	00965,05060 Z	000965001005000603	5410439158541	200
5 x 70	00965,05070 Z	000965001005000703	5410439120234	200
5 x 80	00965,05080 Z	000965001005000803	5410439306447	100
5 x 100	00965,05100 Z	000965001005001003	5410439306454	100
6 x 10	00965,06010 Z	000965001006000103	5410439067966	200
6 x 12	00965,06012 Z	000965001006000123	5410439107242	200
6 x 16	00965,06016 Z	000965001006000163	5410439068000	200
6 x 20	00965,06020 Z	000965001006000203	5410439068024	200
6 x 25	00965,06025 Z	000965001006000253	5410439068048	200
6 x 30	00965,06030 Z	000965001006000303	5410439068062	200
6 x 35	00965,06035 Z	000965001006000353	5410439158558	200



<b>material</b> : Steel class 4.8 <b>type</b> : cross recessed phillips <b>surface</b> : zinc plated Cr3+	<b>materiaal</b> : Staal klasse 4.8 <b>type</b> : phillips indruk <b>oppervlak</b> : verzinkt Cr3+	<b>matière</b> : Acier classe 4.8 <b>type</b> : empreinte phillips <b>surface</b> : zingué Cr3+	<b>Werkstoff</b> : Stahl Klasse 4.8 <b>Typ</b> : Phillips-Kreuzschlitz <b>Oberfläche</b> : verzinkt Cr3+
---	--	---	--


M x l	OLD CODE	NEW CODE	EAN	BOX
6 x 40	00965,06040 Z	000965001006000403	5410439068093	200
6 x 45	00965,06045 Z	000965001006000453	5410439120258	200
6 x 50	00965,06050 Z	000965001006000503	5410439068116	200
6 x 60	00965,06060 Z	000965001006000603	5410439158565	200
6 x 70	00965,06070 Z	000965001006000703	5410439158572	200
6 x 80	00965,06080 Z	000965001006000803	5410439158589	100
6 x 100	00965,06100 Z	000965001006001003	5410439306478	100
8 x 20	00965,08020 Z	000965001008000203	5410439068130	200

M x l	OLD CODE	NEW CODE	EAN	BOX
8 x 25	00965,08025 Z	000965001008000253	5410439068147	200
8 x 30	00965,08030 Z	000965001008000303	5410439158602	200
8 x 35	00965,08035 Z	000965001008000353	5410439125130	200
8 x 40	00965,08040 Z	000965001008000403	5410439068154	200
8 x 50	00965,08050 Z	000965001008000503	5410439068161	200
8 x 60	00965,08060 Z	000965001008000603	5410439125147	200
8 x 70	00965,08070 Z	000965001008000703	5410439125154	100
8 x 80	00965,08080 Z	000965001008000803	5410439125161	100

DIN 965 (09/1986) \*

EN 7046 (05/1996) \*\*

COUNTERSUNK HEAD SCREWS CROSS RECESSED  
 METAALSCHROEF VERZONKEN KOP MET KRUISINDRUK  
 VIS A METAUX TÊTE FRAISÉE EMPREINTE CRUCIFORME  
 SENKSCHAUBEN MIT KREUZSCHLITZ



<b>material</b> : Stainless steel A2	<b>materiaal</b> : Roestvast staal A2	<b>matière</b> : Inox A2	<b>Werkstoff</b> : Edelstahl A2
<b>type</b> : Phillips recess	<b>type</b> : phillips indruk	<b>type</b> : empreinte Phillips	<b>Typ</b> : Phillips-Kreuzschlitz
<b>surface</b> : plain	<b>oppervlak</b> : blank	<b>surface</b> : brut	<b>Oberfläche</b> : roh

\* Cancelled since 09/1996 \*\* Not identical  
 \* Vervallen vanaf 09/1996 \*\* Niet uitwisselbaar  
 \* Retiré à partir de 09/1996 \*\* Pas identique  
 \* Veraltet ab 09/1996 \*\* Nicht austauschbar

Technical properties | Technische gegevens | Données techniques | Technische Daten

M	b1	dk max.	h	k max.
M 3	19	5.6	Nr 1	1.65
M 4	22	7.5	Nr 2	2.2
M 5	25	9.2		2.5
M 6	28	11	Nr 3	3

M x l	OLD CODE	NEW CODE	EAN	BOX
3 x 6	00965,03006 A2	000965A00003000063	5410439100564	200
3 x 8	00965,03008 A2	000965A00003000083	5410439067478	200
3 x 10	00965,03010 A2	000965A00003000103	5410439067492	200
3 x 12	00965,03012 A2	000965A00003000123	5410439067515	200
3 x 16	00965,03016 A2	000965A00003000163	5410439067539	200
3 x 20	00965,03020 A2	000965A00003000203	5410439067553	200
3 x 25	00965,03025 A2	000965A00003000253	5410439067577	200
3 x 30	00965,03030 A2	000965A00003000303	5410439067591	200
4 x 6	00965,04006 A2	000965A00004000063	5410439127899	200
4 x 8	00965,04008 A2	000965A00004000083	5410439067607	200
4 x 10	00965,04010 A2	000965A00004000103	5410439067621	200
4 x 12	00965,04012 A2	000965A00004000123	5410439067645	200
4 x 16	00965,04016 A2	000965A00004000163	5410439067669	200
4 x 20	00965,04020 A2	000965A00004000203	5410439067683	200
4 x 25	00965,04025 A2	000965A00004000253	5410439067706	200
4 x 30	00965,04030 A2	000965A00004000303	5410439067720	200
4 x 35	00965,04035 A2	000965A00004000353	5410439067744	200
4 x 40	00965,04040 A2	000965A00004000403	5410439067751	200
4 x 50	00965,04050 A2	000965A00004000503	5410439067775	200
4 x 60	00965,04060 A2	000965A00004000603	5410439217651	200
5 x 6	00965,05006 A2	000965A00005000063	5410439139618	200
5 x 8	00965,05008 A2	000965A00005000083	5410439100571	200
5 x 10	00965,05010 A2	000965A00005000103	5410439067782	200
5 x 12	00965,05012 A2	000965A00005000123	5410439067805	200
5 x 16	00965,05016 A2	000965A00005000163	5410439067829	200
5 x 20	00965,05020 A2	000965A00005000203	5410439067843	200

M x l	OLD CODE	NEW CODE	EAN	BOX
5 x 25	00965,05025 A2	000965A00005000253	5410439067867	200
5 x 30	00965,05030 A2	000965A00005000303	5410439067881	200
5 x 35	00965,05035 A2	000965A00005000353	5410439067904	200
5 x 40	00965,05040 A2	000965A00005000403	5410439067911	200
5 x 45	00965,05045 A2	000965A00005000453	5410439100588	200
5 x 50	00965,05050 A2	000965A00005000503	5410439067935	200
5 x 60	00965,05060 A2	000965A00005000603	5410439067942	200
5 x 65	00965,05065 A2	000965A00005000653	5410439137409	200
5 x 70	00965,05070 A2	000965A00005000703	5410439137416	200
5 x 80	00965,05080 A2	000965A00005000803	5410439139014	200
5 x 90	00965,05090 A2	000965A00005000903	5410439214728	200
5 x 100	00965,05100 A2	000965A00005001003	5410439228084	200
6 x 10	00965,06010 A2	000965A00006000103	5410439067959	200
6 x 12	00965,06012 A2	000965A00006000123	5410439067973	200
6 x 16	00965,06016 A2	000965A00006000163	5410439067997	200
6 x 20	00965,06020 A2	000965A00006000203	5410439068017	200
6 x 25	00965,06025 A2	000965A00006000253	5410439068031	200
6 x 30	00965,06030 A2	000965A00006000303	5410439068055	200
6 x 35	00965,06035 A2	000965A00006000353	5410439068079	200
6 x 40	00965,06040 A2	000965A00006000403	5410439068086	200
6 x 45	00965,06045 A2	000965A00006000453	5410439140669	200
6 x 50	00965,06050 A2	000965A00006000503	5410439068109	200
6 x 60	00965,06060 A2	000965A00006000603	5410439068123	200
6 x 70	00965,06070 A2	000965A00006000703	5410439135047	200
6 x 80	00965,06080 A2	000965A00006000803	5410439133869	200
6 x 100	00965,06100 A2	000965A00006001003	5410439142311	100